Immediate Benefits of Quitting

When smokers quit, within 20 minutes of smoking that last cigarette the body begins a series of changes.

At 20 minutes after quitting

- Blood pressure decreases
- · Pulse rate drops
- Body temperature of hands and feet increases

At 8 hours

☆

☆

 $\stackrel{\frown}{\swarrow}$

☆

- Carbon monoxide level in blood drops to normal
- Oxygen level in blood increases to normal

At 24 hours

• Chance of a heart attack decreases

At 48 hours

- Nerve endings start re-growing
- · Ability to smell and taste is enhanced

☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆ ☆

At 2 weeks to 3 months

- Circulation improves
- Walking becomes easier
- Lung function increases

At 1 to 9 months:

• Coughing, sinus congestion, fatigue, shortness of breath decreases

At 1 year:

 Excess risk of coronary heart disease is decreased to half that of a smoker



1-800-LUNG-USA www.marylandlung.org Improving Life, One Breath at a Time®

Long-term Benefits of Quitting

At 5 years

• From five to 15 years after quitting, stroke risk is reduced to that of people who have never smoked.

At 10 years

- Risk of lung cancer drops to as little as one-half that of continuing smokers
- Risk of cancer of the mouth, throat, esophagus, bladder, kidney, and pancreas decreases
- Risk of ulcer decreases

At 15 years

- Risk of coronary heart disease is now similar to that of people who have never smoked
- Risk of death returns to nearly the level of people who have never smoked

